SAFETY DATA SHEET



OSHA defined hazards

Label elements

1. Identification	
Product number	100002393
Product identifier	CAMIE 20/20 GLASS CLEANER
Company information	Camie-Campbell, Inc. 1005 S. Westgate Drive Addison, IL 60101 United States www.camie.com
Company phone	General Assistance 1-800-325-9572
Emergency telephone US	1-866-836-8855
Emergency telephone outside US	1-952-852-4646
Version #	01
Recommended use	CLEANER
Recommended restrictions	None known.
2. Hazard(s) identification	
Physical hazards	Flammable aerosols
Health hazards	Not classified.
Environmental hazards	Not classified.

Not classified.

Signal word Danger Hazard statement Extremely flammable aerosol. Precautionary statement Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands after handling. Response Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Storage Dispose of waste and residues in accordance with local authority requirements. Disposal Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.

Category 1

3. Composition/information on ingredients

initial 66			
Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	2.5 - 10
Isopropyl Alcohol		67-63-0	2.5 - 10
Propane		74-98-6	1 - 2.5
Other components below reportable levels			90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Mixtures

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.
6. Accidental release meas	ures
Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of
protective equipment and emergency procedures	low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B)

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	•		Value
Isopropyl Alcohol (CAS 67-63-0)	PEL		9	980 mg/m3
				400 ppm
Propane (CAS 74-98-6)	PEL			1800 mg/m3
				1000 ppm
US. ACGIH Threshold Lin				
Components	Туре	9		Value
Butane (CAS 106-97-8)	STE	<u> </u>		1000 ppm
Isopropyl Alcohol (CAS	STE	_		400 ppm
67-63-0)	TWA			200
		L Contraction of the second seco		200 ppm
US. NIOSH: Pocket Guide Components			,	Value
	Туре			
Butane (CAS 106-97-8)	TWA			1900 mg/m3
learners (Aleahal (CAC	OTE			800 ppm
Isopropyl Alcohol (CAS 67-63-0)	STE	_		1225 mg/m3
				500 ppm
	TWA		9	980 mg/m3
				400 ppm
Propane (CAS 74-98-6)	TWA	L.		1800 mg/m3
Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
* - For sampling details, ple				
propriate engineering htrols	should be matched or other engineerin	to conditions. If ap g controls to maint	plicable, use p ain airborne lev	er hour) should be used. Ventilation rates process enclosures, local exhaust ventilatio vels below recommended exposure limits. airborne levels to an acceptable level.
lividual protection measure Eye/face protection	es, such as personal p Wear safety glasse			
Hand protection	Wear appropriate c	hemical resistant c	loves.	
Skin protection				
Other	Wear suitable prote	ective clothina.		
Respiratory protection	-	are exceeded use	e NIOSH mech	anical filter / organic vapor cartridge or an
Thermal hazards	Wear appropriate th		lothina. when r	necessarv.
neral hygiene nsiderations	When using do not	smoke. Always ob naterial and before	serve good pe eating, drinkin	rsonal hygiene measures, such as washing g, and/or smoking. Routinely wash work
Physical and chemica	alproperties			
noaranco				
pearance				

рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	212 °F (100 °C) estimated	
Flash point	-156.0 °F (-104.4 °C) propellant estimated	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	23.01 psig @70F estimated	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Specific gravity	0.973 estimated	
10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous	Hazardous polymerization does not occur.	

reactions	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

C C	
Information on likely routes of e	xposure
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects

Acute toxicity

Product	Species	Test Results
19 OZ CAMIE 2020 GLASS CLEAN	ER LT 12PK (CAS Mixture)	
Acute		
Dermal		
LD50	Rabbit	210.135 ml/kg, 24 Hours estimated
Inhalation		
LC100	Cat	2233.6941 % estimated
LC50	Mouse	30700.8828 mg/l, 120 Minutes estimated
		1290.5787 %, 120 Minutes estimated
		397.1012 mm/l, 2 Hours estimated
	Rat	33629.5039 mg/l estimated
		1531.7443 mg/l/4h estimated
Oral		
LD50	Mouse	28514.7109 mg/kg estimated
	Rat	310.3717 ml/kg estimated
		135.2227 g/kg estimated
Components	Species	Test Results
Butane (CAS 106-97-8)		
Acute		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
sopropyl Alcohol (CAS 67-63-0)		
Acute		
Dermal		
LD50	Rabbit	16.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	> 10000 ppm, 6 Hours
Oral		
LD50	Rat	5.84 g/kg
Propane (CAS 74-98-6)		
Acute		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h
* Entimotoo for anodust marks	bood on additional component data and	ah aura
* Estimates for product may be Skin corrosion/irritation	based on additional component data not	
	Prolonged skin contact may cause tempo Direct contact with eyes may cause temp	-
Serious eye damage/eye rritation	Direct contact with eyes may cause leffic	
Respiratory or skin sensitization	Not available.	
Respiratory sensitization		in consistention
Skin sensitization Germ cell mutagenicity	This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are	
Coroine gonicity	mutagenic or genotoxic.	
Carcinogenicity		rcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Not listed.	Substances (29 CFR 1910.1001-1050)	

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Product		Species	Test Results
19 OZ CAMIE 2020 GI	LASS CLEANER L	T 12PK (CAS Mixture)	
Aquatic			
Algae	IC50	Algae	23154.5801 mg/L, 72 Hours estimate
Fish	LC50	Fish	2548.7856 mg/l, 96 hours estimated
Components		Species	Test Results
Isopropyl Alcohol (CAS	S 67-63-0)		
Aquatic			
Algae	IC50	Algae	1000.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
* Estimates for produc	t may be based on	additional component data not shown.	
rsistence and degrada	·	s available on the degradability of this prod	luct.
1	I NI- Jata -		

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Butane	2.89	
Isopropyl Alcohol	0.05	
Propane	2.36	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT		
UN number	UN1950	
UN proper shipping name	Aerosols, flammable	
Transport hazard class(es)		
Class	2.1	
Subsidiary risk	-	
Label(s)	None	
Packing group	Not applicable.	

Special provisions Packaging exceptions Packaging non bulk Packaging bulk This product meets the excep Until 12/31/2020, the "Consur mark for packages of UN 1950	 Read safety instructions, SDS and emergency procedures before handling. N82 306 None None tion requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. ner Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond 0 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 e of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s) Packing	2.1
group Environmental	Not applicable.
hazards ERG Code	No.
	10L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s) Packing	2.1
group Environmental	Not applicable.
hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	This substance/mixture is not intended to be transported in bulk.
DOT	





15. Regulatory information

15. Regulatory mormation	-			
US federal regulations	This product is a "Hazardo Standard, 29 CFR 1910.12 All components are on the	200.	ned by the OSHA Hazard Communicati ntory List.	on
TSCA Section 12(b) Expor	t Notification (40 CFR 707, S	ubpt. D)		
Not regulated.	•			
CERCLA Hazardous Subs	tance List (40 CFR 302.4)			
Not listed.				
SARA 304 Emergency rele	ease notification			
Not regulated.				
OSHA Specifically Regulat Not listed.	ted Substances (29 CFR 191	0.1001-1050)		
Superfund Amendments and F	Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	,		
SARA 302 Extremely haza	ardous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
		CAS number	70 Dy Wt.	
1,4-Dioxane		123-91-1	0.01 - 0.1	
			· · · ·	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section	on 112 Hazardous Air Polluta	123-91-1	· · · ·	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated.	on 112(r) Accidental Release	123-91-1 ants (HAPs) List	0.01 - 0.1	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Butane (CAS 106-97-8)	on 112(r) Accidental Release	123-91-1 ants (HAPs) List	0.01 - 0.1	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act	on 112(r) Accidental Release))	123-91-1 ants (HAPs) List	0.01 - 0.1	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA)	on 112(r) Accidental Release)) Not regulated.	123-91-1 ants (HAPs) List	0.01 - 0.1	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Butane (CAS 106-97-8) Isopropyl Alcohol (CAS	on 112(r) Accidental Release) Not regulated. Substance List) 67-63-0)	123-91-1 ants (HAPs) List	0.01 - 0.1	
1,4-Dioxane Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Butane (CAS 106-97-8) Propane (CAS 74-98-6) Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Butane (CAS 106-97-8) Isopropyl Alcohol (CAS Propane (CAS 74-98-6)	on 112(r) Accidental Release) Not regulated. Substance List) 67-63-0)	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	
1,4-DioxaneOther federal regulationsClean Air Act (CAA) SectionNot regulated.Clean Air Act (CAA) SectionButane (CAS 106-97-8)Propane (CAS 74-98-6)Safe Drinking Water Act(SDWA)US state regulationsUS. Massachusetts RTK -Butane (CAS 106-97-8)Isopropyl Alcohol (CASPropane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)	on 112(r) Accidental Release) Not regulated. Substance List 67-63-0)) nd Community Right-to-Knov	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	
1,4-DioxaneOther federal regulationsClean Air Act (CAA) SectionNot regulated.Clean Air Act (CAA) SectionButane (CAS 106-97-8)Propane (CAS 74-98-6)Safe Drinking Water Act(SDWA)US state regulationsUS. Massachusetts RTK -Butane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 106-97-8)Isopropyl Alcohol (CAS)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)	on 112(r) Accidental Release) Not regulated. Substance List 67-63-0)) nd Community Right-to-Knov) 67-63-0)	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	
1,4-DioxaneOther federal regulationsClean Air Act (CAA) SectionNot regulated.Clean Air Act (CAA) SectionButane (CAS 106-97-8)Propane (CAS 74-98-6)Safe Drinking Water Act(SDWA)US state regulationsUS. Massachusetts RTK -Butane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)	on 112(r) Accidental Release) Not regulated. Substance List 67-63-0) nd Community Right-to-Knov 667-63-0) 567-63-0)	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	
1,4-DioxaneOther federal regulationsClean Air Act (CAA) SectionNot regulated.Clean Air Act (CAA) SectionButane (CAS 106-97-8)Propane (CAS 74-98-6)Safe Drinking Water Act(SDWA)US state regulationsUS. Massachusetts RTK -Butane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. Pennsylvania Worker	on 112(r) Accidental Release) Not regulated. Substance List 67-63-0) nd Community Right-to-Knov (67-63-0) and Community Right-to-Knov	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	
1,4-DioxaneOther federal regulationsClean Air Act (CAA) SectionNot regulated.Clean Air Act (CAA) SectionButane (CAS 106-97-8)Propane (CAS 74-98-6)Safe Drinking Water Act(SDWA)US state regulationsUS. Massachusetts RTK -Butane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)US. New Jersey Worker arButane (CAS 106-97-8)Isopropyl Alcohol (CAS)Propane (CAS 74-98-6)	on 112(r) Accidental Release) Not regulated. Substance List 67-63-0) nd Community Right-to-Knov 67-63-0) and Community Right-to-Knov	123-91-1 ants (HAPs) List Prevention (40 CFR	0.01 - 0.1	

US. Rhode Island RTK Butane (CAS 106-97-8) Isopropyl Alcohol (CAS 67-63-0) Propane (CAS 74-98-6)

US. California Proposition 65 WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

Listed: January 1, 1988

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-28-2014
Version #	01
Disclaimer	Camie-Campbell cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Product Uses Fire-fighting measures: Specific methods Physical & Chemical Properties: Multiple Properties Regulatory Information: United States Other information, including date of preparation or last revision: Disclaimer GHS: Classification