

SAFETY DATA SHEET

Revision Date 05/20/2015

1. IDENTIFICATION

Product identifier

Product Name

Fluid Film® Aerosol (AS)

Product Type

Liquid, lubricant, Corrosion inhibitor

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Corrosion inhibitor, lubricant

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Eureka Chemical Company

Supplier Address

234 Lawrence Ave

South San Francisco, CA 94080

Supplier Phone Number

US Phone: 650-761-3536

Fax: 650-589-1943

Contact Phone: 1-650-761-3536

Supplier Email

info@fluid-film.com

Emergency telephone number

Chemtrec (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable Aerosols

Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Extremely flammable aerosol

Appearance Straw-colored liquid

Physical State Liquid spray Aerosol

Odor Mild piney odor

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

Precautionary Statements - Disposal

Product should be disposed of via authorized waste disposal contractors in accordance with all local and national regulations.

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

No information available.

Other information

No information available.

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Refined petroleum oil, hydrotreated heavy paraffinic	64742-54-7	40 - 80	*
Petroleum gases, liquified, sweetened	68476-86-8	1 - 25	*
Calcium petroleum sulfonate	61789-86-4	1 - 10	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes, also under the

eyelids. If symptoms persist, call a physician.

Skin Contact

Wipe excess material from the skin with a cloth, followed by washing with soap and water. A waterless skin cleanser is beneficial in removing the material from

the skin. In the case of skin irritation or allergic reactions, see a physician.

Inhalation

If respiratory symptoms develop, remove to fresh air. If symptoms persist, call a

physician.

Ingestion

Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved.

Revision Date 05/20/2015

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific Hazards Arising from the Chemical

Some may burn but none ignite readily. Ruptured cylinders may rocket.

Uniform Fire Code

Aerosols: Level III

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Stop leak if you can do it without risk.

Other Information

Ventilate the area.

Environmental Precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Do not puncture or incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact with eyes. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Refined petroleum oil, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

No special protective equipment required. Use chemical eye goggles in tanks and

confined spaces.

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. Use approved respirator with organic vapor cartridges in tanks and confined spaces. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State

Liquid spray Aerosol

Appearance

pH

No information available

Mild piney odor

Color Straw-colored Odor Threshold Property Values Remarks/ Method

Odor

None known

None known

None known

7.8 None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point 207 C / 405 F (less propellant) None known **Evaporation Rate** No data available None known

No data available

Amber

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available Vapor density No data available **Specific Gravity** 0.880 (less propellant) Water Solubility Insoluble in water

None known None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known Autoignition temperature No data available None known Decomposition temperature No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive properties No data available **Oxidizing Properties** No data available

Other Information

Softening Point No data available **VOC Content (%)** < 25% (CARB 310) **VOC Content** < 219 g/L

Particle Size No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Revision Date 05/20/2015

Information on likely routes of exposure

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation

Specific test data for the substance is not available.

Eye Contact

Minimally irritating.

Skin Contact

Prolonged contact could cause skin irritation.

Ingestion

> 5000 mg/kg (Rat)

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Calcium petroleum sulfonate 61789-86-4	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	_	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

There is no data available for this product.

Carcinogenicity

Contains no known carcinogens.

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No information available.

Target Organ Effects

No information available.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

Product should be disposed of via authorized waste disposal contractors in accordance with all local and national regulations. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

CONSUMER COMMODITY

Hazard Class

ORM-D

Description

CONSUMER COMMODITY, ORM-D

Emergency Response Guide

126

Number

TDG

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class

2.1

Description

UN1950, AEROSOLS, 2.1

MEX

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class

2.1

Description

UN1950, AEROSOLS, 2.1

ICAO

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class

2.1

Description

UN1950, AEROSOLS, 2.1

IATA

UN-No.

UN1950

Proper Shipping Name

AEROSOLS, FLAMMABLE

Hazard Class

2.

Description

UN1950, AEROSOLS, FLAMMABLE, 2.1

Revision Date 05/20/2015

IMDG/IMO

UN-No.
Proper Shipping Name

UN1950 AEROSOLS

Hazard Class

2.1

EmS No.

F-D, S-U

Description

UN1950, AEROSOLS, 2.1

RID

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class
Classification code

2.1

5F

Description

UN1950, AEROSOLS, 2.1

ADR

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class

2.1

Classification code
Tunnel restriction code

5F (D)

Description

UN1950, AEROSOLS, 2.1

ADN

UN-No.

UN1950

Proper Shipping Name

AEROSOLS

Hazard Class

2.1 5F

Classification code Special Provisions

190, 327, 344, 625

Description

UN1950, AEROSOLS, 2.1

Limited Quantity

1 L

Ventilation

VE01, VE04

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardYesSudden release of pressure hazardYesReactive HazardNo

VOC Regulations

This product complies with the consumer product VOC limits of CARB, the US EPA and states adopting the OTC VOC rules.

Revision Date 05/20/2015

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Propane 74-98-6	X	Х	X		
N-Butane 106-97-8	X	Х	Х		
Isobutane 75-28-5	Х	Х	X		
1,1-Difluoroethane 75-37-6	Х	Х			

International Regulations

Canada

WHMIS Hazard Class

A - Compressed gases B5 - Flammable aerosol



16. OTHER INFORMATION

NFPA

Health Hazards 0

Flammability 4

Instability 0

Physical and Chemical Hazards -

HMIS

Health Hazards 0

Flammability 4

Physical Hazard 0

Personal Protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date

05/20/2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet